





NUP BEARING LTD



60 mm x 85 mm x 13 mm skf 71912 CB/P4AL
Super-precision Angular contact ball bearings

Bearing No. 71912 CB/P4AL

71912 CB/P4AL Bearing 2D drawings and 3D CAD models

Size	85x60x13 mm
Bore Diameter	85 mm
Outer Diameter	60 mm
Width	13 mm
d	60 mm
D	85 mm
B	13 mm
d ₁	68.94 mm
d ₂	67.73 mm
D ₂	78.36 mm
b	2 mm
C ₁	6.5 mm
C ₂	3.8 mm
C ₃	1.7 mm
r _{1,2} - min.	1 mm
r _{3,4} - min.	0.3 mm
a	19.5 mm
d _a - min.	64.6 mm
d _b - min.	64.6 mm
D _a - max.	80.4 mm
D _b - max.	83 mm
r _a - max.	1 mm
r _b - max.	0.3 mm
d _n	69.8 mm



NUP BEARING LTD

Basic dynamic load rating - C	10.4 kN
Basic static load rating - C ₀	8.8 kN
Fatigue load limit - P _u	0.375 kN
Limiting speed for grease lubrication	22000 r/min
Limiting speed for oil lubrication	32000 mm/min
Ball - D _w	5.556 mm
Ball - z	30
G _{ref}	2.77 cm ³
Calculation factor - f ₀	9.8
Preload class A - G _A	34 N
Preload class B - G _B	68 N
Preload class C - G _C	205 N
Calculation factor - f	1.11
Calculation factor - f	1
Calculation factor - f _{2A}	1
Calculation factor - f _{2B}	1.02
Calculation factor - f _{2C}	1.07
Calculation factor - f _{HC}	1
Preload class A	36 N/micron
Preload class B	48 N/micron
Preload class C	77 N/micron
d ₁	68.94 mm
d ₂	67.73 mm
D ₂	78.36 mm
C ₁	6.5 mm
C ₂	3.8 mm
C ₃	1.7 mm
r _{1,2} min.	1 mm



NUP BEARING LTD

$r_{3,4}$ min.	0.3 mm
d_a min.	64.6 mm
d_b min.	64.6 mm
D_a max.	80.4 mm
D_b max.	83 mm
r_a max.	1 mm
r_b max.	0.3 mm
d_n	69.8 mm
Basic dynamic load rating C	14 kN
Basic static load rating C_0	14.6 kN
Fatigue load limit P_u	0.375 kN
Attainable speed for grease lubrication	22000 r/min
Attainable speed for oil-air lubrication	32000 r/min
Ball diameter D_w	5.556 mm
Number of balls z	30
Reference grease quantity G_{ref}	2.77 cm ³
Preload class A G_A	34 N
Static axial stiffness, preload class A	36 N/ μ m
Preload class B G_B	68 N
Static axial stiffness, preload class B	48 N/ μ m
Preload class C G_C	205 N
Static axial stiffness, preload class C	77 N/ μ m
Calculation factor f	1.11
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.02
Calculation factor f_{2C}	1.07
Calculation factor f_{HC}	1



NUP BEARING LTD

Calculation factor f_0	9.8
Mass bearing	0.2 kg