




NUP BEARING LTD



85 mm x 130 mm x 22 mm skf 7017 CE/P4AL Super-precision Angular contact ball bearings

Bearing No. 7017 CE/P4AL

7017 CE/P4AL Bearing 2D drawings and 3D CAD models

Size	130x85x22 mm
Bore Diameter	130 mm
Outer Diameter	85 mm
Width	22 mm
d	85 mm
D	130 mm
B	22 mm
d ₁	100.83 mm
d ₂	98 mm
D ₁	114.12 mm
b	2.8 mm
C ₁	11.1 mm
C ₂	3.8 mm
C ₃	3.8 mm
r _{1,2} - min.	1.1 mm
r _{3,4} - min.	0.6 mm
a	25.5 mm
d _a - min.	91 mm
d _b - min.	91 mm
D _a - max.	124 mm
D _b - max.	125.8 mm
r _a - max.	1 mm
r _b - max.	0.6 mm
d _n	103.5 mm



NUP BEARING LTD

Basic dynamic load rating - C	34.5 kN
Basic static load rating - C ₀	29 kN
Fatigue load limit - P _u	1.2 kN
Limiting speed for grease lubrication	14000 r/min
Limiting speed for oil lubrication	22000 mm/min
Ball - D _w	11.112 mm
Ball - z	26
G _{ref}	12 cm ³
Calculation factor - f ₀	9.5
Preload class A - G _A	185 N
Preload class B - G _B	560 N
Preload class C - G _C	1110 N
Calculation factor - f	1.11
Calculation factor - f	1
Calculation factor - f _{2A}	1
Calculation factor - f _{2B}	1.03
Calculation factor - f _{2C}	1.05
Calculation factor - f _{HC}	1
Preload class A	75 N/micron
Preload class B	118 N/micron
Preload class C	163 N/micron
d ₁	100.83 mm
d ₂	98 mm
D ₁	114.12 mm
C ₁	11.1 mm
C ₂	3.8 mm
C ₃	3.8 mm
r _{1,2} min.	1.1 mm



NUP BEARING LTD

$r_{3,4}$ min.	0.6 mm
d_a min.	91 mm
d_b min.	91 mm
D_a max.	124 mm
D_b max.	125.8 mm
r_a max.	1 mm
r_b max.	0.6 mm
d_n	103.5 mm
Basic dynamic load rating C	34.5 kN
Basic static load rating C_0	29 kN
Fatigue load limit P_u	1.2 kN
Attainable speed for grease lubrication	14000 r/min
Attainable speed for oil-air lubrication	22000 r/min
Ball diameter D_w	11.112 mm
Number of balls z	26
Reference grease quantity G_{ref}	12 cm ³
Preload class A G_A	185 N
Static axial stiffness, preload class A	75 N/ μ m
Preload class B G_B	560 N
Static axial stiffness, preload class B	118 N/ μ m
Preload class C G_C	1110 N
Static axial stiffness, preload class C	163 N/ μ m
Calculation factor f	1.11
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.03
Calculation factor f_{2C}	1.05
Calculation factor f_{HC}	1



NUP BEARING LTD

Calculation factor f_0	9.5
Mass bearing	0.9 kg